

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## MORTALITY—Continued.

## Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
St. Petersburg	May 13	1,907,708	816	129				6		11	7	1	27	•
Sao Paulo	Mar. 11 Mar. 18	100,000								$\frac{1}{2}$			;.	
Do Shanghai	Mar. 18 May 7	492,000	109	10						2	1	1 1	1	
Do	May 14	402,000	121	12				ĺĩ				3		
Do	May 21		125	17				3			2	4		
Sheffield	May 13	472,000	110	7						1			3	
Do Singapore	May 20 Apr. 15	271,060	113 231	10 32		;		····		···ì·		1	2	
Do	Apr. 13	303,328	264	42	i	1 1		4	• • • •	1		• • • •		• • •
Do	Apr. 29	000,020	326	38		î		4		2				
Smyrna	do	400,000	54	8		2							1	
Do	May 6		61	10		3							3	
Do	May 13		46	15		3				1			2	
Do Southampton	May 20do	129,667	51 23	13 2		• • • •		• • • •		2		• • • •	···i	
South Shields	May 13	121,866	37	5									4	
Do	May 20	121,000	30	6									î	
Do	May 27		34	3									3	
Stettin	May 6	234,033	61	9						2			1	
Do	May 13		78	9							1	1	:-	
Do	May 20 May 27		64	6								;-	1	
Do Stockholm	May 27 May 13	343,832	55 75	22								1	}	
Do	May 20	545, 652	86	14	• • • • •							i		
Tampico	May 30	23,452	47					i					1	
Trieste	May 13	229, 499	102									3		
_ Do	May 20		83										2	
Turin	May 5	401,555	143	14						:-				
Do Do	May 13 May 20		139 128	14						1		5	· · i	1
Valencia	May 13	240,000	95	6						i		, J	i	• • • •
Do	May 20		92	5				1					î	
Vancouver	May 27	125,000	24								1	7		
Vienna	May 13	2,047,988	698	113							2	7	12	ŀ
Vigo.	May 20	41 500	682 19	114 3						1	1	2	13	
Vigo Warsaw	Apr. 29 Mar. 18	$41,500 \\ 781,179$	288	36	• • • •			i i			8	2	2	
Do	Mar. 25	797,093	260	45						2	6		3	
Do	Apr. 1		266	32				3		2	2	2	Ĭ	l
West Hartlepool	May 13	66,750	25									1		
Do	May 20		18	:-								:-	:-	
Winnipeg	do	135,000	31	1								3	1	
Do Yokohama	May 27 May 15	151, 958 419, 630	44	1							1	4		• • • •
Do	May 22	410,000	l								2			
Yokkaichi	Apr. 8	70,000	10									1		
Do	Apr. 15		10	2								1		
Do	Apr. 22		5									1		
Do	May 6	I	10	1		1	1	1	1	1	1	ŀ	1	1

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (untabulated).

AZORES—St. Michaels.—Month of March, 1911. Population, 131,183. Total number of deaths from all causes 172, including diphtheria 2, tuberculosis 5, typhoid fever 3.

Brazil.—Ceara.—Month of April, 1911. Population, 55,000. Total number of deaths from all causes 146, including smallpox 2, tuberculosis 22, typhoid fever 9, yellow fever 1.

June 23, 1911 1000

Pernambuco.—Two weeks ended March —, 1911. Population, 200,000. Total number of deaths from all causes 442, including smallpox 98, tuberculosis 63.

Month of April, 1911. Total number of deaths from all causes 814, including smallpox 180, tuberculosis 118, typhoid fever 4, typhus fever 1.

Rio de Janeiro.—Two weeks ended March 18, 1911. Population, 870,475. Total number of deaths from all causes 806, including measles 4, plague 2, smallpox 2, tuberculosis 147, typhoid fever 1.

Month of April, 1911. Total number of deaths from all causes 1,895, including diphtheria 1, measles 6, tuberculosis 367, typhoid fever 7.

Canada—Hamilton.—Month of May, 1911. Population, 73,500. Total number of deaths from all causes 106, including diphtheria 1, tuberculosis 8.

Formosa.—Two weeks ended April 29, 1911. Population, 3,290,-186. Total number of deaths from all causes 33, including diphtheria 1, plague 28, typhoid fever 1.

France—Calais.—Month of May, 1911. Population, 80,000. Total number of deaths from all causes 99, including tuberculosis 24. Great Britain.—Week ended May 27, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 13.3 per 1,000 of the population, which is estimated at 16,257,983.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 16.5 per 1,000 of the population, which is estimated at 1,163,596. The lowest rate was recorded at Lurgan, viz, 4.4 and the highest at Dundalk, viz, 31.9 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 17.7 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Paisley, viz, 10.5 and the highest at Perth, viz, 21.8 per 1,000. The total number of deaths from all causes was 581, including diphtheria 1, measles 13, scarlet fever 5, typhoid fever 1.

ITALY—Genoa.—Two weeks ended May 31, 1911. Population 279,163. Total number of deaths from all causes 438, including diphtheria 4, measles 5, scarlet fever 1, tuberculosis 27, typhoid fever 1.

Messina.—Month of May, 1911. Population 93,672. Total number of deaths from all causes 132, including measles 1, tuberculosis 11, typhus fever 1.

Jamaica—Kingston.—Month of May, 1911. Population 53,053. Total number of deaths from all causes 179, including tuberculosis 15.

<sup>&</sup>lt;sup>1</sup> The provisional estimates of population are now based on the census returns of 1901 and 1911, so far as the latter have been made known.

1001 June 23, 1911

Malta.—Weeks ended May 6, 20, and 27, 1911. Population 215,879. Total number of deaths from all causes 209, including measles 1, tuberculosis 7.

NEW ZEALAND.—Month of February, 1911.

Auckland.—Population, 81,690. Total number of deaths 67, including tuberculosis 6, typhoid fever 2.

Christchurch.—Population, 80,523. Total number of deaths 41, including tuberculosis 5.

Dunedin.—Population, 64,402. Total number of deaths 40, including tuberculosis 3.

Wellington.—Population, 78,243. Total number of deaths 50, including tuberculosis 3.

PORTUGUESE EAST AFRICA.—Lourenco Marquez.—Month of March, 1911. Population, 10,000. Total number of deaths from all causes 34, including smallpox 2, tuberculosis 4.

St. Thomas.—Two weeks ended May 26, 1911. Population, 12,019. Total number of deaths from all causes 11, including tuberculosis 1.

Turks Islands.—Three weeks ended May 27, 1911. Population, 1,800. Total number of deaths from all causes 3. No contagious diseases.

By authority of the Secretary of the Treasury:

Walter Wyman,
Surgeon General,
United States Public Health and Marine-Hospital Service.